



*Tropical Medicine and
Infectious Disease*

Neglected and Emerging Tropical Diseases in South and Southeast Asia and Northern Australia

Edited by
Patricia Graves, Thewarach Laha, Peter A. Leggat and
Khin Saw Aye

Printed Edition of the Special Issue Published in
Tropical Medicine and Infectious Disease

Neglected and Emerging Tropical Diseases in South and Southeast Asia and Northern Australia

Neglected and Emerging Tropical Diseases in South and Southeast Asia and Northern Australia

Special Issue Editors

Patricia Graves

Thewarach Laha

Peter A. Leggat

Khin Saw Aye

MDPI • Basel • Beijing • Wuhan • Barcelona • Belgrade



Special Issue Editors

Patricia Graves
James Cook University
Australia

Thewarach Laha
Khon Kaen University
Thailand

Peter A. Leggat
James Cook University
Australia

Khin Saw Aye
Ministry of Health and Sports
Republic of the Union of Myanmar

Editorial Office

MDPI
St. Alban-Anlage 66
Basel, Switzerland

This is a reprint of articles from the Special Issue published online in the open access journal *Tropical Medicine and Infectious Disease* (ISSN 2414-6366) from 2017 to 2018 (available at: http://www.mdpi.com/journal/tropicalmed/special_issues/neglected_emerging_tropical_diseases)

For citation purposes, cite each article independently as indicated on the article page online and as indicated below:

LastName, A.A.; LastName, B.B.; LastName, C.C. Article Title. <i>Journal Name</i> Year , Article Number, Page Range.

ISBN 978-3-03897-089-7 (Pbk)

ISBN 978-3-03897-090-3 (PDF)

Cover image courtesy of Jan Douglass.

Articles in this volume are Open Access and distributed under the Creative Commons Attribution (CC BY) license, which allows users to download, copy and build upon published articles even for commercial purposes, as long as the author and publisher are properly credited, which ensures maximum dissemination and a wider impact of our publications. The book taken as a whole is © 2018 MDPI, Basel, Switzerland, distributed under the terms and conditions of the Creative Commons license CC BY-NC-ND (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Contents

About the Special Issue Editors	vii
Peter A. Leggat, Patricia Graves, Thewarach Laha and Khin Saw Aye Neglected and Emerging Tropical Diseases in South and Southeast Asia and Northern Australia Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2018 , 3, 70, doi: 10.3390/tropicalmed3030070	1
Benjamin F. R. Dickson, Patricia M. Graves and William J. McBride Lymphatic Filariasis in Mainland Southeast Asia: A Systematic Review and Meta-Analysis of Prevalence and Disease Burden Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 32, doi: 10.3390/tropicalmed2030032	4
Jesse Masson, Jan Douglass, Maureen Roineau, Khin Saw Aye, Kyi May Htwe, Jeffrey Warner and Patricia M. Graves Concordance between Plasma and Filter Paper Sampling Techniques for the Lymphatic Filariasis Bm14 Antibody ELISA Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 6, doi: 10.3390/tropicalmed2020006	30
Jesse Masson, Jan Douglass, Maureen Roineau, Khin Saw Aye, Kyi May Htwe, Jeffrey Warner and Patricia M. Graves Relative Performance and Predictive Values of Plasma and Dried Blood Spots with Filter Paper Sampling Techniques and Dilutions of the Lymphatic Filariasis Og4C3 Antigen ELISA for Samples from Myanmar Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 7, doi: 10.3390/tropicalmed2020007	39
Janet Douglass, Patricia Graves, Daniel Lindsay, Luke Becker, Maureen Roineau, Jesse Masson, Ni Ni Aye, San San Win, Tint Wai, Yi Yi Win and Susan Gordon Lymphatic Filariasis Increases Tissue Compressibility and Extracellular Fluid in Lower Limbs of Asymptomatic Young People in Central Myanmar Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 50, doi: 10.3390/tropicalmed2040050	49
Catherine A. Gordon, Johanna Kurscheid, Malcolm K. Jones, Darren J. Gray and Donald P. McManus Soil-Transmitted Helminths in Tropical Australia and Asia Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 56, doi: 10.3390/tropicalmed2040056	63
Johanna K. Mayer-Coverdale, Amy Crowe, Pamela Smith and Robert W. Baird Trends in <i>Strongyloides stercoralis</i> Faecal Larvae Detections in the Northern Territory, Australia: 2002 to 2012 Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 18, doi: 10.3390/tropicalmed2020018	95
Deborah C. Holt, Jennifer Shield, Tegan M. Harris, Kate E. Mounsey, Kieran Aland, James S. McCarthy, Bart J. Currie and Therese M. Kearns Soil-Transmitted Helminths in Children in a Remote Aboriginal Community in the Northern Territory: Hookworm is Rare but <i>Strongyloides stercoralis</i> and <i>Trichuris trichiura</i> Persist Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 51, doi: 10.3390/tropicalmed2040051	104
Allen G. Ross, Keren Papier, Ruby Luceres-Catubig, Thao N. Chau, Marianette T. Inobaya and Shu-Kay Ng Poverty, Dietary Intake, Intestinal Parasites, and Nutritional Status among School-Age Children in the Rural Philippines Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 49, doi: 10.3390/tropicalmed2040049	113

Adam Stewart, Mark Armstrong, Stephen Graves and Krispin Hajkowicz Epidemiology and Characteristics of <i>Rickettsia australis</i> (Queensland Tick Typhus) Infection in Hospitalized Patients in North Brisbane, Australia Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 10, doi: 10.3390/tropicalmed2020010	123
Kittipong Chaisiri, Jean-François Cosson and Serge Morand Infection of Rodents by <i>Orientia tsutsugamushi</i> , the Agent of Scrub Typhus, in Relation to Land Use in Thailand Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 53, doi: 10.3390/tropicalmed2040053	129
Narayan Gyawali and Andrew W. Taylor-Robinson Confronting the Emerging Threat to Public Health in Northern Australia of Neglected Indigenous Arboviruses Reprinted from: <i>Trop. Med. Infect. Dis.</i> 2017 , 2, 55, doi: 10.3390/tropicalmed2040055	140

About the Special Issue Editors

Patricia Graves, MSPH, PhD, is a specialist in the epidemiology of malaria, filariasis, and other vector-borne diseases, with extensive experience in applied research and consulting in the Pacific, Africa, and Asia. From 2007 to 2011, she worked as an epidemiologist for The Carter Center, Atlanta, GA, USA, conducting program implementation as well as monitoring and evaluation of integrated control programs for malaria, filariasis, and other neglected tropical diseases in Ethiopia and Nigeria. She has been an advisor to the Pacific Regional Filariasis Elimination program since 2000, especially on survey design and evaluation of control programs. She joined the James Cook University in 2012 as the Director of the WHO Collaborating Centre for Lymphatic Filariasis, Soil-Transmitted Helminths, and other Neglected Tropical Diseases, where she manages a serology laboratory for lymphatic filariasis. This center has now been renamed the WHO Collaborating Centre for Vector-Borne and Neglected Tropical Diseases.

Thewarach Laha is an Associate Professor in Parasitology and the Head of the Department of Parasitology, Faculty of Medicine, Khon Kaen University, Khon Kaen, Thailand. Dr. Laha's research focuses on the molecular pathogenesis of liver fluke infection and liver fluke-induced bile duct cancer.

Peter A. Leggat, AM, is Professor and co-Director of the World Health Organization Collaborating Centre for Vector-borne and Neglected Tropical Diseases, College of Public Health, Medical and Veterinary Sciences, James Cook University, Australia. He is a consultant for various organizations, including the Australian Defence Force, the Therapeutic Goods Administration (Australia), and the World Health Organization. He is currently President of The Australasian College of Tropical Medicine and Secretary-Treasurer of the International Society of Travel Medicine. Professor Leggat holds honorary and adjunct Professorial positions in six universities in five countries. A former Fulbright Scholar and Fulbright Ambassador, he has published more than 500 journal papers, 30 books, and 90 chapters and has presented more than 400 papers at national and international meetings. He was admitted as a Member of the General Division of the Order of Australia in 2013 and promoted to Commander of the Order of St John in 2016.

Khin Saw Aye is Deputy Director General of the Department of Medical Research, Ministry of Health and Sports, Republic of the Union of Myanmar. She is involved in research focused on immunology, pathology, and the molecular mechanisms of malaria, tuberculosis, dengue, and hepatitis.



Editorial

Neglected and Emerging Tropical Diseases in South and Southeast Asia and Northern Australia

Peter A. Leggat ^{1,2,*}, Patricia Graves ¹, Thewarach Laha ³ and Khin Saw Aye ⁴

¹ World Health Organization Collaborating Centre for Vectorborne and Neglected Tropical Diseases, College of Public Health, Medical and Veterinary Sciences, James Cook University, Townsville, QLD 4811, Australia; patricia.graves@jcu.edu.au

² Faculty of Science, University of Nottingham Malaysia Campus, Jalan Broga, Semenyih 43500, Selangor Darul Ehsan, Malaysia

³ Department of Parasitology, Faculty of Medicine, Khon Kaen University, Khon Kaen 40002, Thailand; thewa_la@kku.ac.th

⁴ Department of Medical Research, Ministry of Health and Sports, Yangon 11191, Myanmar; ksadmr@gmail.com

* Correspondence: Peter.Leggat@jcu.edu.au; Tel.: +61-7-4781-6108

Received: 19 June 2018; Accepted: 20 June 2018; Published: 22 June 2018

This Special Issue focuses on recent research on the important emerging and neglected tropical diseases (NTDs) in South and South East Asia and Northern Australia. This region stretches from Pakistan in the west to the Philippines in the east, and includes Afghanistan and countries to the east, the Indian subcontinent, mainland South-East Asia, and the tropical regions of Australia. Many of these areas are highly endemic for important NTDs and other tropical diseases, including lymphatic filariasis (LF), soil-transmitted helminthiases (STH) such as hookworm infection, trichuriasis, ascariasis, and strongyloidiasis, rickettsial diseases and arboviral diseases. Several of these diseases are targeted for elimination or enhanced control by the World Health Organization (WHO) in the next 5 to 10 years, although some have chronic lasting sequelae and disability needing lifelong management. Control methods used include preventive chemotherapy, enhanced screening and treatment, intensified disease management, vector control, interruption of human to animal transmission, environmental/sanitation improvements and disability prevention/mitigation. A current list of WHO NTDs is given in Table 1.

Table 1. Neglected Tropical Diseases [1].

Neglected Tropical Diseases
Buruli ulcer
Chagas disease
Dengue and Chikungunya
Dracunculiasis (guinea-worm disease)
Echinococcosis
Foodborne trematodiasis
Human African trypanosomiasis (sleeping sickness)
Leishmaniasis
Leprosy (Hansen's disease)
Lymphatic filariasis
Mycetoma, chromoblastomycosis and other deep mycoses
Onchocerciasis (river blindness)
Rabies
Scabies and other ectoparasites
Schistosomiasis
Soil-transmitted helminthiases
Snakebite envenoming
Trachoma
Yaws (Endemic treponematoses)
Taeniasis/Cysticercosis

At the time of publication, there have been 11 papers published upon peer review acceptance in this Special Issue, including eight original papers, two review papers and one perspectives piece. They each contribute to a much better understanding of Neglected and Emerging Tropical Diseases in South and Southeast Asia and Northern Australia. The contributions to these topics can be summarized as follows: four submissions on LFs [2–5], four submissions on STHs [6–9], two submissions on rickettsial diseases [10,11], and one submission on arboviral diseases [12]. A systematic review and meta-analysis leads the opening section on LF [2], which reviews prevalence and disease burden of LF in southeast Asia [2]. Two studies in Myanmar review the utility of dried blood spots on filter paper for sampling for detection Bm14 antibody and Og4C3 antigen in cases of LF [3,4], with the latter indicating need for reconciliation between different sampling methods. A further study in Myanmar examined the usefulness of low-cost devices for measuring tissue compressibility and extracellular fluid, used and accepted in other clinical settings, for objective assessment of lymphedema [5]. A review paper leads the other major section on STH, which focuses on the prevalence of STHs in different groups, including immigrants, travellers, military personnel and veterans in Australia and Asia [6]. This is followed by studies examining an extended period of surveillance data on *Strongyloides stercoralis* [7]; and a study examining the prevalence of STHs in remote Aboriginal communities, both in the Northern Territory, Australia [8]; and a study examining the links between dietary intake, nutritional status, and intestinal parasites, such as *Schistosoma japonicum*, *Ascaris lumbricoides*, *Trichuris trichiura*, and hookworm, in the Philippines [9]. The two rickettsial papers examine hospital admissions for Queensland tick typhus in north Brisbane, Australia [10], and the other study based in Thailand looks at the influence of land use on scrub typhus in rodents [11]. Lastly, a perspective piece reminds us that Australia is home to more than 75 arboviral diseases-, which pose a public health threat to the Australian population [12].

The diversity of papers, the depth of the topics and the relative geographical reach of the authors (including authors from several countries across Asia, as well as authors from Australia and Europe) in this Special Issue confirm the continued collective major interest in this area. This wide-ranging open access collection contributes to a much better understanding on the epidemiology, presentation, diagnosis, treatment, prevention and control of neglected and emerging tropical diseases in South and Southeast Asia and Northern Australia. As the editors of this Special Issue, we trust that you find the content useful, as the authors are pleased to share their knowledge with an international audience. We look forward to future opportunities to update advances in this field and encourage you or publish your work in or propose a Special Issue for *Tropical Medicine and Infectious Disease*.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. World Health Organization. Neglected Tropical Diseases. Available online: http://www.who.int/topics/tropical_diseases/factsheets/neglected/en/ (accessed on 17 June 2018).
2. Dickson, B.F.R.; Graves, P.M.; McBride, W.J. Lymphatic Filariasis in Mainland Southeast Asia: A Systematic Review and Meta-Analysis of Prevalence and Disease Burden. *Trop. Med. Inf. Dis.* **2017**, *2*, 32. [CrossRef]
3. Masson, J.; Douglass, J.; Roineau, M.; Aye, K.S.; Htwe, K.M.; Warner, J.; Graves, P.M. Concordance between Plasma and Filter Paper Sampling Techniques for the Lymphatic Filariasis Bm14 Antibody ELISA. *Trop. Med. Inf. Dis.* **2017**, *2*, 6. [CrossRef]
4. Masson, J.; Douglass, J.; Roineau, M.; Aye, K.S.; Htwe, K.M.; Warner, J.; Graves, P.M. Relative Performance and Predictive Values of Plasma and Dried Blood Spots with Filter Paper Sampling Techniques and Dilutions of the Lymphatic Filariasis Og4C3 Antigen ELISA for Samples from Myanmar. *Trop. Med. Inf. Dis.* **2017**, *2*, 7. [CrossRef]
5. Douglass, J.; Graves, P.; Lindsay, D.; Becker, L.; Roineau, M.; Masson, J.; Aye, N.N.; Win, S.S.; Wai, T.; Win, Y.Y.; et al. Lymphatic Filariasis Increases Tissue Compressibility and Extracellular Fluid in Lower Limbs of Asymptomatic Young People in Central Myanmar. *Trop. Med. Inf. Dis.* **2017**, *2*, 50. [CrossRef]

6. Gordon, C.A.; Kurscheid, J.; Jones, M.K.; Gray, D.J.; McManus, D.P. Soil-Transmitted Helminths in Tropical Australia and Asia. *Trop. Med. Inf. Dis.* **2017**, *2*, 56. [CrossRef]
7. Mayer-Coverdale, J.K.; Crowe, A.; Smith, P.; Baird, R.W. Trends in *Strongyloides stercoralis* Faecal Larvae Detections in the Northern Territory, Australia: 2002 to 2012. *Trop. Med. Inf. Dis.* **2017**, *2*, 18. [CrossRef]
8. Holt, D.C.; Shield, J.; Harris, T.M.; Mounsey, K.E.; Aland, M.; McCarthy, J.S.; Currie, B.J.; Kearns, T.M. Soil-Transmitted Helminths in Children in a Remote Aboriginal Community in the Northern Territory: Hookworm is Rare but *Strongyloides stercoralis* and *Trichuris trichiura* Persist. *Trop. Med. Inf. Dis.* **2017**, *2*, 51. [CrossRef]
9. Ross, A.G.; Papier, K.; Luceres-Catubig, R.; Chau, T.N.; Inobaya, M.T.; Ng, S.-K. Poverty, Dietary Intake, Intestinal Parasites, and Nutritional Status among School-Age Children in the Rural Philippines. *Trop. Med. Inf. Dis.* **2017**, *2*, 49. [CrossRef]
10. Stewart, A.; Armstrong, M.; Graves, S.; Hajkowicz, K. Epidemiology and Characteristics of *Rickettsia australis* (Queensland Tick Typhus) Infection in Hospitalized Patients in North Brisbane, Australia. *Trop. Med. Inf. Dis.* **2017**, *2*, 10. [CrossRef]
11. Chaisiri, K.; Cosson, J.-F.; Morand, S. Infection of Rodents by *Orientia tsutsugamushi*, the Agent of Scrub Typhus, in Relation to Land Use in Thailand. *Trop. Med. Inf. Dis.* **2017**, *2*, 53. [CrossRef]
12. Gyawali, N.; Taylor-Robinson, A.W. Confronting the Emerging Threat to Public Health in Northern Australia of Neglected Indigenous Arboviruses. *Trop. Med. Inf. Dis.* **2017**, *2*, 55. [CrossRef]



© 2018 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

MDPI
St. Alban-Anlage 66
4052 Basel
Switzerland
Tel. +41 61 683 77 34
Fax +41 61 302 89 18
www.mdpi.com

Tropical Medicine and Infectious Disease Editorial Office
E-mail: tropicalmed@mdpi.com
www.mdpi.com/journal/tropicalmed



MDPI
St. Alban-Anlage 66
4052 Basel
Switzerland

Tel: +41 61 683 77 34
Fax: +41 61 302 89 18

www.mdpi.com



ISBN 978-3-03897-090-3